



**ODISHA STATE CO-OPERATIVE HANDICRAFTS CORPORATION LTD.**  
**D-2/3 & 4, Industrial Estate, Rasulgarh, Bhubaneswar-751010**  
Ph-0674-2975390, GSTN:- 21AAAAO0096K2ZQ  
E-mail : [oschcutkalika@gmail.com](mailto:oschcutkalika@gmail.com) Website: [www.utkalikaodisha.com](http://www.utkalikaodisha.com)


### **SHORT QUOTATION CALL NOTICE**

Ref No: 266, Dated: 12/07/2026

Sealed Quotation Call Notice is invited from OEM/Authorized supplier/dealer/distributor having valid documents like PAN No., GST, Udyam Registration No. etc. to supply, install & commissioning of **3 (Three) Nos. of IP based CCTV Camera for Terminal-1, Airport Outlet (Bhubaneswar)** of Odisha State Cooperative Handicrafts Corporation Ltd. (UTKALIKA) with their lowest rate for supply of above materials .

The details specification and the quantity are mentioned separately which is available in our website [www.utkalikaodisha.in](http://www.utkalikaodisha.in). The requisite documents along with the quoted value in sealed envelope should be submitted complete in all respect to **Managing Director, Odisha State Co-Operative Handicrafts Corporation Ltd**, Shed No- D-2/3, Industrial estate Rasulgarh, Bhubaneswar-751010. The last date of receipt of the sealed quotation is up to 03 : 00 PM of 23/07/2026 and it will be opened at 04 : 00 PM on the same day at Office of the UTKALIKA, Odisha, Bhubaneswar in the presence of the approved committee members / bidders or their authorized representatives.

**The undersigned reserves the right to accept or reject any or all the quotations without assigning any reason thereof.**

  
12.3.2026  
General Manager

**Specifications:**

<b>Sl No.</b>	<b>Particulars</b>	<b>Qty.</b>	<b>Unit Rate</b>	<b>Total Amount</b>
1	IP Bullet/ Dome Camera	03 Nos.		
2	4 Ch. or Above Channel NVR	01 No.		
3	600 VA Offline Power System	01 No.		
4	CAT-6 Cable UTP (As applicable)	01 No.		
5	8 Port FULL GIGA POE Switch with all port GIGA with 120 POE Budget	01 No.		
6	4U Networking Rack with Accessories	01 No.		
7	1TB Surveillance (HDD)	01 No.		
7	RJ 45 Clips, Tags & Outdoor Boxes, Clips, and accessories	One-Time		
8	Display (22 inch)	1		
8	One time Installation, cabling Pipe, Testing, and commissioning(New & Existing Camera)	One-Time		
<b>Total</b>				
<b>GST Amount (@18%)</b>				
<b>Final Amount</b>				

## ANNEXURE - A

## 4MP Bullet Camera

Feature	Specifications	Compliances Yes/ No	Remarks
<b>Make- Camera</b>		<b>Model-</b>	
Image Sensor	1/2.7" CMOS sensor		
Min. Illumination	Color: 0.002Lux@ (F1.6, ACG ON), B/W: 0Lux with IR		
Shutter Time	1s~ 1/100000s		
Day & Night	Dual IR Cut Filter with Auto Switch		
WDR	120 DB		
Lens Type	Fixed		
Lens	4mm		
FOV	Horizontal of view 103.4°(2.8mm)/88.2°(4mm) ; Vertical of view: 58.1°(2.8mm)/46.4°(4mm)		
<b>illuminator</b>			
IR Range	Up to 50meter		
<b>Compression Standard</b>			
Video Compression	H.265+/S+265/H.265/H.264		
Video Bit Rate	32Kbps~6Mbps		
Audio Compression	G.711/G.711U/ADPCM		
Audio Bit Rate	8K~48Kbps		
<b>Image</b>			
Max. Image Resolution	2560×1440		
Main Stream	PAL: 25fps (2560×1440, 2304×1296, 1920×1080, 1280×720)		
Image Enhancement	BLC/3D DNR/HLC		
Smart Defog	Yes		
Privacy Mask	Yes,4 regions		
<b>Feature</b>			
Alarm Trigger	Motion Detection, Mask Alarm, IP Address Conflict		
Video Analytics	Tripwire, Perimeter		
<b>Network</b>			
ANR	Auto store video in SD card when NVR disconnected, and upload video to NVR when resumed connection		
Protocols	HTTP, TCP/IP,UDP,UPnP,ICMP,DHCP,DNS,DDNS,Easy DDNS,NTP,IPv4,RTSP,RTMP		

System Compatibility	ONVIF (PROFILE S/T/G), SDK, CGI (IE), P2P (Mutually exclusive with Profile G)		
----------------------	-------------------------------------------------------------------------------	--	--

<b>Interface</b>			
Audio Input	1/1,Mic in		
On-board Storage	Micro SD Card Slot,512 GB		

<b>General</b>			
Protection	IP67		
Certificate	CE, FCC,BIS		

**NVR**

Feature	Specifications	Compliances Yes/ No	
---------	----------------	---------------------	--

<b>Make-</b>	<b>Model-</b>		
--------------	---------------	--	--

<b>Input</b>			
Video Input	05-ch or Above		
Max Resolution	6MP or above		
Two-way Audio Input	1-ch, 3.5mm		
Bandwidth	Income 60Mbps; Outgoing 40Mbps		

<b>Output</b>			
HDMI/VGA Output	HDMI 1-ch, 1920×1080, 1280×720, 800 ×600, 1024×768, 1366×768, 1440×900, 1280×800 VGA 1-ch, 1920×1080, 1280×720, 800×600, 1024×768, 1366×768, 1440×900, 1280×800		
Screen Split	1/3/4/6/8/9/10		
Audio Output	1×RC A		

<b>Decoding</b>			
Decoding Format	S+265H.265/H.264		

<b>Hard Disk</b>			
Recording Resolution	6MP/5MP/4MP/3MP/1080P/UXGA /720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF		
SATA	1 SATA interface for 1 HDD		
Capacity	Up to 10TB for each HDD		

<b>General</b>			
Certification	BIS, CE & FCC		

**8 PORT GIGA POE SWITCH**

Feature	Specifications	Compliances Yes/ No	
---------	----------------	---------------------	--

Make-	Model-		
Ethernet	8 Port 10/100/1000M PoE 2 Port 1000M RJ45 Uplink		
Switching Capacity	20Gbps		
Throughput	14.88Mpps		
MTBF	100000 hour		
PoE Protocol	IEEE802.3af (15.4W) IEEE802.3at (30W)		
POE Budget	120 Watt		
Security Certificate	CE, FCC, RoHS		

\*\*\*\*